

INDIAN INSTITUTE OF MANAGEMENT INDORE

Prabandh Shikhar, Rau-Pithampur Road, Indore 453556 (M.P)
Phone: 0731-2439614, Website : <http://www.iimdr.ac.in>

March 13, 2015

CORRIGENDUM -1

NIT No. : NIT/IIMI/PROJECT/02/2015/14; Dated: 04 March 2015

Name of Work: Construction of Interior Fit out, Electrical & allied smart building systems at IIM Indore Mumbai off-campus building at Mahaavir Icon in CBD Belapur, Navi Mumbai.

The following amendment have been made in the above referred notice inviting tender-

Part - I (Civil works) for item no. 24, corrected description is given below-

Item No.	Description of item	Qty	Unit	Rate (In Rs.)		Amount (In Rs.)	
				In figure	In words	In figure	In words
24	Providing & fixing FULL HEIGHT GYPSUM BOARD PANELLING at required location having height more than 2.8 meter & minimum 65 mm thick made by using 40 x 40 mm (finished size) approved quality seasoned TW section framing at 600 mm center to center, covered with 12 mm thk. BWP grade marine ply generally conforming to I.S.303 / I.S.710-1980 on one side. The panellingshall be finished with 12.5 mm thk Gypsum Board of approved make with or without grooves as per Architect's drawing . Antitermite treatment to plywood and woodwork, door frame including all leads & lifts etc complete as per Architect's detailed Drawing and design & as directed by Engineer In Charge.	150	m2				

Handwritten signature
(Senior Engineer)
IIM